

MATERIAL SAFETY DATA SHEET

Winston Company, Inc.
7704 East 38th Street
Tulsa, OK 74145
918/610-1006

October 24, 2009

SECTION I IDENTIFICATION

Trade Name: **ODOR-CIDE®**
Name and/or Family or Description: Perfumed compound Water Soluble
Chemical Formula: N.A.
N.A.S No.: None
DOT Proper Shipping Name: Chemicals Not Otherwise Indexed (NOI)
Non-Hazardous
DOT Hazard Class: Not Regulated
DOT Label: None

SECTION II COMPONENTS (Hazardous & Other)

<u>CHEMICAL</u>	<u>CAS NO.</u>	<u>PERCENTAGE</u>
Isopropyl Alcohol	67-63-0	< 10 %
Propylene Glycol	57-55-6	< 4 %

THE IDENTITY OF THE REMAINING INDIVIDUAL COMPONENTS OF THIS PRODUCT ARE PROPRIETARY INFORMATION AND IS CONSIDERED A TRADE SECRET PURSUANT TO 29 CFR 1910.1200 (see Section i - Federal register Vol. 48 No. 228 Nov 25, 1983 Rules and regulations).

SECTION III PHYSICAL DATA

State: Liquid
Appearance: Clear Liquid
Odor: Fresh Clean Scent
Boiling Point: 242°
Melting Point: N/A
Vapor Density: N/A
Solubility In Water: 99%
Storage Conditions: Store tightly closed

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: Above 240°
Ignition Temperature: N/A
Flammable Limits: N/A
Special Fire Fighting Procedure: Full protective clothing and NIOSH-approved self-contained breathing apparatus should be worn. Use Water to cool exposed containers.
Unusual Fire Explosion Hazards: Emits toxic fumes under fire conditions.
Extinguishing Media: Use Dry Chemical, CO², or Alcohol Foam

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE: May be harmful by inhalation, ingestion, or skin absorption. Direct mist is irritating to the eyes, mucous membranes and upper respiratory tract. Prolonged contact can cause skin irritation.

PRIMARY ROUTES OF EXPOSURE: Skin or eye contact, inhalation, or swallowing.

INHALATION: Excessive inhalation of high concentrations may cause headaches, vomiting, and coma.

EYE CONTACT: Liquid or mist directly in eyes will irritate the eyes

SKIN CONTACT: Prolonged or repeated contact may irritate the skin.

SWALLOWING: Swallowing large quantities causes headaches, nausea, vomiting, stomach cramps and diarrhea, in extreme cases perhaps unconsciousness.

CHRONIC EFFECTS OF EXPOSURE: Prolonged or repeated exposure to high concentrations can produce severe or fatal CNS Depression.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None in normal low level applications.

EMERGENCY AND FIRST AID PROCEDURES

IF INHALED: Remove to fresh air. Give artificial respiration if not breathing. Get immediate medical attention.

IN CASE OF EYE CONTACT: Immediately flush eyes with lots of running water for 15 minutes, if irritation persists get immediate medical attention.

IN CASE OF SKIN CONTACT: Immediately wash skin with soap and water. If irritation persist after washing get medical attention.

IF SWALLOWED: If conscious, immediately induce vomiting by giving 2 glasses of water and sticking a finger down the throat. Get immediate medical attention. Do not give anything by mouth to an unconscious or convulsing person. Keep the victim's head below his hips while vomiting so he does not breathe the vomitus into his lungs.

CARCINOGENICITY: This material is not considered to be a carcinogen by the national Toxicology Program, the international agency of research on cancer, or the Occupational Safety and Health Administration.

SECTION VI REACTIVITY DATA

STABILITY: Stable

POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Heat, Sparks, and open flames.

MATERIALS TO AVOID: Acids and oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS: May liberate carbon monoxide or carbon dioxide.

Section VII - SPILL, LEAK, AND DISPOSAL INFORMATION

SPILL OR LEAKAGE PROCEDURES: Information provided here is in the event of a major spill of 55 gallons or more. Wear protective equipment including rubber boots, rubber gloves, rubber apron, and a self-contained breathing apparatus in the pressure demand mode or a supplied-air respirator. If the spill or leak is small, a full-face piece air-purifying cartridge respirator equipped for organic vapors may be satisfactory. In any event, always wear eye protection. For small spills or drips, mop or wipe up and dispose of in DOT-approved waste containers. For large spills, contain by diking with soil or other non-combustible absorbent materials, and then pump into DOT-approved waste containers, or absorb with non-combustible sorbent material, place residue in DOT-approved waste containers. Keep out of storm drains, surface waters, and soil.

Comply with all applicable governmental regulations on spill reporting, and handling and disposal of waste.

DISPOSAL METHODS: Dispose of contaminate product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate Federal, State and Local regulatory agencies to ascertain proper disposal procedures.

NOTE: Empty containers can have residues, gases and mists and are subject to proper waste disposal, as above.

SECTION VIII - SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION: None required under normal conditions of use. If risk of inhalation may occur, respiratory protective equipment must be selected and used in accordance with OSHA/NIOSH guidelines.

OTHER PROTECTIVE EQUIPMENT: Eye wash facility.

STORAGE AND HANDLING: Maintain good housekeeping. Keep out of direct sunlight and in a cool dry place. STORE ABOVE 32° F (0°C)

VENTILATION: General room ventilation

RESPIRATORY PROTECTION: For most conditions, no respiratory protection should be needed; however, if condition warrant select in accordance with OSHA/NIOSH guidelines.

EYE PROTECTION: For most conditions none required; however if conditions of use are extreme and condition warrants wear goggles. It is general recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of an eye injury.

SKIN PROTECTION: None required in normal use conditions; however if conditions of use warrant protection wear long sleeved shirt, trouser, safety shoes, and gloves.

HYGIENIC PRACTICES: Wash hands after handling, as well as any other affected skin areas. Avoid contact with food or food preparatory surfaces. If this occurs wash the area thoroughly with suitable detergent and water.

PRECAUTION TO BE TAKEN IN HANDLING AND STORING: Keep away from heat, sparks, and flames. Maintain good housekeeping. For maintenance of product quality, store in dry cool (under 110°F) warehouse conditions. STORE ABOVE 32° F

KEEP OUT OF REACH OF CHILDREN

SECTION X OTHER REGULATORY INFORMATION

In response to Right to Know Laws:

<u>CHEMICAL</u>	<u>CAS NO.</u>	<u>PERCENTAGES</u>
Isopropyl Alcohol	67-63-0	< 10 %

NOTICE:

Winston Company, Inc expressly disclaims all express or implied warranties or merchantability and fitness for a particular purpose, with respect to the product or information provided herein.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Winston Company, Inc. makes no representations as to its accuracy or sufficiency. Conditions of use are beyond our control and therefore users are responsible to verify this data under their own operation conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designed herein, and does not relate to its use in combination with any other material or in any other process.